

H^1 -CONFORMING FINITE ELEMENT COCHAIN COMPLEXES ON CARTESIAN MESHES

Francesca Bonizzoni^{1*} and Guido Kanschat²

¹ University of Augsburg, Universitätsstraße 12a, 86159 Augsburg,
francesca.bonizzoni@math.uni-augsburg.de

² Ruprecht-Karls-Universität Heidelberg, Im Neuenheimer Feld 205, 69120 Heidelberg,
kanschat@uni-heidelberg.de

Keywords: *Finite element exterior calculus, de Rham complex, Commuting diagram property, Quasi-interpolation, Tensor product*

In recent years considerable effort was put into the development of H^1 -conforming methods with exact divergence constrain in two and three dimensions. This talk, instead, is concerned with the full finite element cochain complex.

The starting point is the one-dimensional H^1 -conforming finite element cochain complex based on cubic polynomials with Hermitian interpolation. Based on the tensor product construction, we obtain H^1 -conforming finite element spaces V^k on Cartesian meshes of arbitrary order n . In particular, for each finite element form $u_h \in V^k \subset H^1\Lambda^k$, its exterior derivative fulfills $du_h \in V^{k+1} \subset H^1\Lambda^{k+1}$.

Moreover, commuting interpolation operators for differentiable functions as well as commuting quasi-interpolation operators that are continuous in L^2 are provided.

The construction of the H^1 -conforming finite element cochain complex and the corresponding commuting quasi-interpolation operators is then extended to higher order polynomial spaces.

REFERENCES

- [1] F. Bonizzoni and G. Kanschat, H^1 -conforming finite element cochain complexes and commuting quasi-interpolation operators on cartesian meshes. *Calcolo*, Vol.58(18), 2021.